

# S2C-H6R



Products Low Voltage Products and Systems Modular DIN Rail Products Miniature Circuit Breakers MCBs Accessories  
Auxiliary / Signal Contacts

Parts & Services Medium Voltage Products and Systems Switchgear and Motor Control Secondary Switchgear  
Gas Insulated Ring Main Units SafeRing 36

Parts & Services Medium Voltage Products and Systems Switchgear and Motor Control Secondary Switchgear  
Gas Insulated Ring Main Units SafeRing Air

Parts & Services Medium Voltage Products and Systems Switchgear and Motor Control Secondary Switchgear  
Gas Insulated Secondary Switchgear SafePlus 36

Parts & Services Medium Voltage Products and Systems Switchgear and Motor Control Secondary Switchgear  
Gas Insulated Secondary Switchgear SafePlus Air

## General Information

<b>Extended Product Type:</b>	S2C-H6R
<b>Product ID:</b>	2CDS200912R0001
<b>EAN:</b>	4016779563826
<b>Catalog Description:</b>	S2C-H6R - Auxiliary Contact
<b>Long Description:</b>	Indication of the position of the device's contacts. Suitable for MCBs S 200 series, SN 201 series, RCCBs F 200 series, RCBOs DS201, DS202C, DS 200 series. To be mounted on the right side of the MCBs.

## Additional Information

<b>Accessory Type:</b>	Auxiliary Contact
<b>Core Credit:</b>	0.00
<b>Country of Origin:</b>	Germany (DE)
<b>Customs Tariff Number:</b>	85365080
<b>Data Sheet, Technical Information:</b>	9AKK106930A8017
<b>Declaration of Conformity - CE:</b>	2CDK440030D2702
<b>E-nummer:</b>	2102500
<b>EAN:</b>	4016779563826
<b>EPLAN Function Definition:</b>	Change-over contact / Change-over contact, 3 connection points / Change-over auxiliary contact 4_1_2
<b>ETIM 4:</b>	EC001286 - Auxiliary contact unit for distribution board
<b>ETIM 5:</b>	EC001286 - Auxiliary contact unit for distribution board
<b>ETIM 6:</b>	EC001286 - Auxiliary contact unit for distribution board
<b>Environmental Information:</b>	2CDK400571D0201
<b>Function:</b>	Auxiliary Contact
<b>Industrial IT Certification Level:</b>	0
<b>Instructions and Manuals:</b>	GHS2007074P0004
<b>Invoice Description:</b>	S2C-H6R Auxiliary Contact 1CO
<b>Minimum Order Quantity:</b>	1 piece
<b>Package Level 1 EAN:</b>	4016779678865
<b>Package Level 1 Gross Weight:</b>	0.045 kg
<b>Package Level 1 Height:</b>	115 mm
<b>Package Level 1 Length:</b>	104 mm
<b>Package Level 1 Units:</b>	1 piece
<b>Package Level 1 Width:</b>	20 mm
<b>Package Level 2 EAN:</b>	4016779946193
<b>Package Level 2 Gross Weight:</b>	7 kg
<b>Package Level 2 Height:</b>	560 mm

Package Level 2 Length:	1200 mm
Package Level 2 Units:	60 piece
Package Level 2 Width:	820 mm
Part Type:	New
Power Loss:	0,5 W
Product Main Type:	S2C
Product Name:	Auxiliary Contact
Product Net Depth:	69 mm
Product Net Height:	85 mm
Product Net Weight:	0.043 kg
Product Net Width:	8.8 mm
RoHS Date:	0335
RoHS Information:	2CDK440032D0203
RoHS Status:	Following EU Directive 2002/95/EC August 18, 2005 and amendment
Selling Unit of Measure:	piece
Short Description:	S2C-H6R Auxiliary Contact
Standards:	UL 1077 GB14048.5 CSA Class 3215-30 CSA Class 3215-90 IEC/EN 60947-5-1
Suitable For:	S200 S200M S200P S200S SN201L SN201 SN201M F200 DS201 DS202C DS200
Suitable for Product Class:	Miniature Circuit Breaker Residual Current Device
Technical Information:	AUXILIARYCONTACT
eClass:	7.0 27143502

Product specific part data

4 Products

Filter

Category	Switchgear Part Category
SafeRing 36	Auxiliary Contacts
SafePlus 36	Auxiliary Contacts
SafeRing Air	Auxiliary Contacts
SafePlus Air	Auxiliary Contacts

