


PRODUCT-DETAILS

# PSH3/12

## PSH3/12 Busbar



### General Information

Extended Product Type	PSH3/12
Product ID	2CDL130001R1012
EAN	4016779651905
Catalog Description	PSH3/12 Busbar
Long Description	Busbar PSH 3/12

### Technical

Suitable For	SH200 FH200 DSH201 SHD200
Suitable for Product Class	Miniature Circuit Breakers MCBs
Rated Operational Voltage	690 V Maximum 690 V
Rated Short-time Withstand Current Low Voltage ( $I_{cw}$ )	25 kA
Rated Uninterrupted Current ( $I_u$ )	63 A
Pitch	17.5
Number of Poles	12
Number of Phases	3

Number of Mountable Devices	4
Accessory Type	Busbar
Connection Type	Pin
Rated Cross-Section	10 mm <sup>2</sup>

## Environmental

RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
RoHS Information	9AKK108468A1264
Environmental Information	2CDU400029D0201

## Dimensions

Product Net Width	18 mm
Product Net Height	29.3 mm
Product Net Depth / Length	212 mm
Product Net Weight	0.09 kg

## Ordering

Minimum Order Quantity	1 piece
Package Level 1 Units	50 piece
Package Level 1 Gross Weight	4.66 kg
Customs Tariff Number	85369010
E-Number (Finland)	3210172
Country of Origin	Republic of North Macedonia (MK)

## Certificates and Declarations

Declaration of Conformity - CE	9AKK108468A1264
--------------------------------	-----------------

## Popular Downloads

Data Sheet, Technical Information	9AKK106930A8017
Instructions and Manuals	2CSC400002D0208

## Classifications

ETIM 8	EC000215 - Phase busbar
ETIM 9	EC000215 - Phase busbar
EPLAN Catalog Tree	Electrical engineering / Protection devices / General
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Business
CN8	8536 90 10
UNSPSC	39121117
eClass	V11.0 : 27371306
IDEA Granular Category	4378 >> Phase busbar

Code (IGCC)

Object Classification  
Code

W

---

## Categories

---

Low Voltage Products and Systems → Modular DIN Rail Products → Miniature Circuit Breakers MCBs → Miniature Circuit Breakers MCBs Accessories

